

Innovative Designs Inspiring Change.

The **#1 Rated** Brand in Recycling & Waste Containers!

🖈 Trustpilot

Billi Box[™] Series

Bringing Centralized Collection into Smaller Spaces

Product Data Sheet | Version 1.4





Busch Systems International Inc. 81 Rawson Avenue, Barrie ON., Canada 1.800.565.9931 buschsystems.com





Bringing Centralized Collection INTO SMALLER SPACES

The Billi Box™ is perfect for any low-traffic centralized location. Available in 7 and 10 gallons, the Billi Box™ is also extremely customizable from colors to restrictive openings, labeling and more. This container can effortlessly standardize your recycling program in every aspect from cleaning and maintenance to diversion and recycling education!

POPULAR BASE SKU'S





BUILD YOUR **Billi Box**[™] STATION











BODY SPECIFICATIONS

Below are the available Body Options for the Billi Box[™] Series. With this measurement guide you will find the right size Billi Box[™] Series container to fit your space. The measurement guide is the essence of various standard measuring methods. All measurements are in inches. The Billi Box[™] is a single stream container available in a number of colors to accommodate your program needs. Talk to your dedicated Busch Systems[®] sales representative for more information on how to choose the right size container for your space.



| Body Shape | Height | Width | Depth | Weight | Capacity |
|------------|--------------------|---------------------|---------------------|-------------------|----------|
| 7 Gallon | 15.25″H (387.35mm) | 10.5″W (266.7mm) | 14.375″D (365.13mm) | 1.65lbs (0.748kg) | 7 gal |
| 10 Gallon | 20.25″H (514.35mm) | 10.875″W (276.22mm) | 15.25″D (387.35mm) | 2.3lbs (1.043kg) | 10 gal |

STOCK BODY COLORS



LID OPENING SPECIFICATIONS

The chart below outlines the available Lid Opening Options for each Billi Box[™] Series model as well as the associated opening dimensions. Be sure to run a preliminary audit of the popular materials that are discarded where your Billi Box[™] Series containers will be placed. For example, if you're collecting large quantities of standard-sized Cans & Bottles, the Circle Opening is the ideal choice, as it will reduce contamination of materials that are larger than the dimensions of the opening. If there is a blank cell on the body or lid style of your choice, this means there is currently no stock option available. Talk to your dedicated Busch Systems[®] sales representative for more information.

| | Swing | Mixed | Slot | Circle |
|--------------------|------------|----------------------|--------------|---------------|
| Billi Box™ | | | | |
| Opening Dimensions | 9"W x 11"L | 1.25"W x 9"L x 3.5"D | 1.25″W x 9″L | 3.5" Diameter |

STOCK LID FRAME & OPENING COLORS



NOTE: Because different computers, monitors, and printers render colors and textures differently, actual finishes may vary from those shown here.



STOCK LABELS

These premium labels are smooth and easy to apply, and come standard in white text. All labels can be customized to match your unique branding and stream requirements at your request.



*Grey represents clear. Clear will show color of lid. All other areas on labels are printed white.

IDEAL BAG SIZES

| | 7 Gallon | 10 Gallon |
|-------------------------|----------|-----------|
| Ideal Bag Size (inches) | 25 x 25 | 26 x 29 |

MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meets your demands for quality and durability and will enhance your working environment for years to come.

| Component | Material(s) | Construction |
|-------------|-------------|--|
| Body | HDPE | Black bodies made from 100% post-consumer recycled content Other color bodies are molded from durable HDPE and contain up to 35% recycled content |
| Lid Frame | HDPE | • Lid frames are molded from durable HDPE and contain up to 35% recycled content |
| Lid Opening | HDPE | • Lid openings are molded from durable HDPE and contain up to 35% recycled content |

ENVIRONMENTAL CONSIDERATIONS

- All Billi Box™ Receptacles use a low energy, resource efficient manufacturing and curing process
- All Billi Box™ receptacle components disassemble at end of life and are fully recyclable
- Low maintenance and extremely long service life
- Manufactured in North America

| Configurations | Post-Industrial Recycled Content | Post-Consumer Recycled Content | Total Recycled Content | 3rd Party Certifications |
|----------------|-------------------------------------|-----------------------------------|---------------------------|-----------------------------|
| Billi Box™ | Contact us | Contact us | Contact us | - |

Busch Systems[®] is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a B-Corporation[®]. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at sustainability@buschsystems.com.



LEAD TIME

Our standard lead times on the Billi Box[™] Series are 3-5 days, or 6-8 weeks for large or custom orders. Please contact us to discuss your specific timing requirements.

PRICING

Please contact us at **800.565.9931** or **sales@buschsystems.com**. At Busch Systems[®], we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER PLEASE SPECIFY

Quantity, body model, lid model, label choice and any optional product accessories. Talk to your dedicated Busch Systems® sales representative for more information. If you do not have a dedicated Sales Representative please contact us via our website at **buschsystems.com/contact-us/**

INSTALLATION

Busch Systems[®] Billi Box[™] Series containers are hassle-free when it comes to installation. Each container comes individually boxed using high-density cardboard with high-recycled content to ensure safe and environmentally friendly transport.

To Install Your Billi Box[™] Series Containers:

- 1. Unbox each station component
- 2. Install lid opening into lid frame
- 3. (Optional) Place recycling or waste bag liner in the container
- 3. Place the lid on top
- 4. Apply your chosen labels

CARE & MAINTENANCE

Advantages of Busch Systems[®] HDPE & LDPE receptacles include:

- Great low temperature impact resistance and excellent chemical resistance
- Great high temperature impact resistance
- Lower stiffness rating which reduces potential for stress cracking
- High strength-to-density ratio

Their appearance and lifespan will be greatly affected by their care. The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems[®] products, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

Note: Always test soaps/cleaners on a hidden and/or small area beforehand

• Ajax Cream

- Flash (in water)
- Liquid Gumption
- Ajax Liquid (in water)
- Cutting Compound ('T. Cut')

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

GENERAL CARE

- Clean with a power washer or light scrub brush (outdoor/municipal bins)
- Clean with a mild detergent with damp sponge or cloth (indoor/office bins)
- For soil and stain remover, cleaners like Fantastik, Armor All or Acetone may be tried
- UV safe cleaners MUST be used on all outdoor bins

THINGS TO AVOID

- Cleaners with chloride or bleach
- Solvents
- Abrasive detergents
- Steel wool or Scouring pads





