



BUSCH[®]
SYSTEMS



Curbside Series[™]

Classic Blue Box Collection Favorite

Product Data Sheet | Version 1.2



Busch Systems International Inc.
81 Rawson Avenue, Barrie ON., Canada
1.800.565.9931
buschsystems.com



View the Curbside Series[™] Online!





Classic Blue Box Collection Favorite

The Curbside Series™ container offers supreme durability and function.
It is designed to be the most durable curbside container available!

POPULAR SKU'S



103604



103607



103611



103430

BUILD YOUR Curbside S E R I E S™ STATION



ONE: THE BINS

- True 14
- True 16
- US 18
- SIR 24

TWO: THE STAMP

- Choose from our stock options or customize your own!

THREE: ACCESSORIES


- Wheel Kit
- Lids
- Wall Brackets



NOTE* Because different computers, monitors, and printers render colors and textures differently, actual finishes may vary from those shown here.

BODY SPECIFICATIONS

Below are the available Body Options for the Curbside Series™. With this measurement guide you will find the right size Curbside Series™ container to fit your space. The measurement guide is the essence of various standard measuring methods. All measurements are in inches. The Curbside Series™ features 4 types of single stream containers available in a number of colors to accommodate your program needs. Talk to your dedicated Busch Systems® sales representative for more information on custom stamping and how to choose the right size container for your space.



Body Options	Height	Width	Depth	Weight	Capacity
True 14	15.5"H	21"W	14"D	3.25 lbs	14 gal
True 16	16"H	21"W	15.5"D	3.6 lbs	16 gal
US 18	16"H	23"W	14.25"D	4.4 lbs	18 gal
SIR 24	18"H	22"W	17.25"D	6.1 lbs	24 gal

NOTE Specs may slightly vary when ordering containers with custom stamps or custom colours.
Talk to your Busch Systems® sales representative if you require customization on your Curbside Series™ container.*

IDEAL BAG SIZES

	True 14	True 16	US 18	SIR 24
Ideal Bag Size (inches)	38 x 23	37 x 25	38 x 25	41 x 28

MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes, and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meet your demands for quality and durability and will enhance your working environment for years to come.

Component	Material(s)	Construction
Container	HDPE	<ul style="list-style-type: none"> Bodies are molded from durable HDPE and contain up to 35% recycled content
Lid	HDPE	<ul style="list-style-type: none"> Lids are molded from durable HDPE and contain up to 35% recycled content
Wheel Kit	HDPE	<ul style="list-style-type: none"> Wheel dollies are molded from durable HDPE and contain up to 35% recycled content

ENVIRONMENTAL CONSIDERATIONS

- All Curbside Series™ Receptacles use a low energy, resource efficient manufacturing and curing process
- All Curbside Series™ receptacle components disassemble at end of life and are fully recyclable
- Low maintenance and extremely long service life
- Manufactured in North America

Configurations	Post-Industrial Recycled Content	Post-Consumer Recycled Content	Total Recycled Content	3rd Party Certifications
Curbside Series™	Contact us	Contact us	Contact us	-

Busch Systems® is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a B-Corporation®. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at sustainability@buschsystems.com.

LEAD TIME

Our standard stock lead times on the Curbside Series™ are 3-5 days. Custom stamped or large orders are 6-8 weeks. Please contact us to discuss your specific timing requirements.

PRICING

Please contact us at **800.565.9931** or **sales@buschsystems.com**. At Busch Systems®, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators

TO ORDER PLEASE SPECIFY

Quantity, body model, and additional customization requests. Talk to your dedicated Busch Systems® sales representative for more information.

INSTALLATION

Busch Systems® Curbside Series™ containers are hassle-free when it comes to installation. Containers come ready use, unbox and set-up. If accessory kit purchased, some assembly is required.

To install your Curbside Series™ containers:

1. Unbox assembled container

CARE & MAINTENANCE

Advantages of Busch Systems® HDPE & LDPE receptacles include:

- Great low temperature impact resistance and excellent chemical resistance
- Great high temperature impact resistance
- Lower stiffness rating which reduces the potential for stress cracking
- High strength-to-density ratio

Their appearance and lifespan will be greatly affected by their care. The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems® products, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

Note: Always test soaps/cleaners on a hidden and/or small area beforehand

- Ajax Cream
- Ajax Liquid (in water)
- Cutting compound ('T. Cut')
- Flash (in water)
- Liquid Gumption

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

GENERAL CARE

- Clean with a power washer or light scrub brush (outdoor/municipal bins)
- Clean with a mild detergent with a damp sponge or cloth (indoor/office bins)
- For soil and stain remover, cleaners like Fantastik, Armor All or Acetone may be tried
- UV safe cleaners MUST be used on all outdoor bins

THINGS TO AVOID

- Cleaners with chloride or bleach
- Solvents

Contact Us Today for a Quote on Your Curbside Series™ Station!



BUSCH®
SYSTEMS



Certified



Corporation