



The **#1 Rated** Brand in
Recycling & Waste Containers!



Innovative Designs Inspiring Change.

Euro™ Series

Timeless Design, Worldly Appeal

Product Data Sheet | Version 1.5

Busch Systems International Inc.
81 Rawson Avenue, Barrie ON., Canada
1.800.565.9931
buschsystems.com



View the Euro™ Series Online!





TIMELESS DESIGN, WORLDLY APPEAL

The Euro™ is a modern European inspired container that will change the look of outdoor waste and recycling collection. This extremely durable container offers a built-in canopy and curved design, which not only protects from rain and precipitation, but emphasizes its high-end artistic appearance. With the option of one or two streams, lockability, and easy ground mounting, this container is the perfect fit for any outdoor setting.

POPULAR BASE SKU'S



104422



104423




104421



216783

BUILD YOUR EURO™ STATION



ONE: THE BODY

- Single
- Double

TWO: THE LABEL


- Choose from our stock options or customize your own!

BODY SPECIFICATIONS

Below are the available Body Options for the Euro™ Series. The measurement guide is the essence of various standard measuring methods. All measurements are in inches. The Euro™ is available in a single or double stream option with three stocked finishes to choose from. Talk to your dedicated Busch Systems® sales representative for more information on how to choose the right container for your space.

OPENING DIMENSIONS

Height: 9.25"H (234.95mm)
Width: 19.75"W (501.65mm)



| Body Shape | Height | Width | Depth | Weight | Capacity |
|------------|----------------------|---------------------|--------------------|--------------------|----------|
| Single | 45.625"H (650.875mm) | 22.875"W (581.03mm) | 22.75"D (577.85mm) | 44.55lbs (20.21kg) | 36 gal |
| Double | 45.625"H (650.875mm) | 22.875"W (581.03mm) | 22.75"D (577.85mm) | 44.55lbs (20.21kg) | 36 gal |

STOCK COLORS

AVAILABLE COLORS



Blue



Greystone



Sandstone*



Charcoal*

*Minimum order quantity applies.

STOCK GRAPHICS

These premium labels are smooth and easy to apply, and come standard in white, blue, or back. All labels can be customized to match your unique branding and stream requirements at your request.

LABELS



IDEAL BAG SIZES

| | Single | Double |
|-------------------------|---------|---------|
| Ideal Bag Size (inches) | 30 x 40 | 29 x 41 |

MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meets your demands for quality and durability and will enhance your working environment for years to come.

| Component | Material(s) | Construction |
|-----------|-------------|--|
| Body | LDPE | <ul style="list-style-type: none"> Molded from Durable LDPE, textured and stone finish hides any dirt and scratches developed over time |
| Liner | LDPE | <ul style="list-style-type: none"> Liners are molded from durable LDPE |

ENVIRONMENTAL CONSIDERATIONS

- All Euro™ Series Receptacles use a low energy, resource efficient manufacturing and curing process
- All Euro™ Series receptacle components disassemble at end of life and are fully recyclable
- Low maintenance and extremely long service life
- Manufactured in North America
- [Product Carbon Footprint Dashboard for 1 Unit Euro™ Bin](#)

| Configurations | Post-Industrial Recycled Content | Post-Consumer Recycled Content | Total Recycled Content | 3rd Party Certifications |
|----------------|----------------------------------|--------------------------------|------------------------|--------------------------|
| Euro™ | Contact us | Contact us | Contact us | - |

Busch Systems® is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a B-Corporation®. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at sustainability@buschsystems.com.

LEAD TIME

Our standard lead times on the Euro™ Series are 3-5 days for stock and approximately 6-8 weeks for large or custom orders. Please contact us to discuss your specific timing requirements.

PRICING

Please contact us at **800.565.9931** or sales@buschsystems.com. At Busch Systems®, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER PLEASE SPECIFY

Quantity, body model, lid model, label choice and any optional product accessories. Talk to your dedicated Busch Systems® sales representative for more information. If you do not have a dedicated Sales Representative please contact us via our website at buschsystems.com/contact-us/

INSTALLATION

Busch Systems® Euro™ Series containers are hassle-free when it comes to installation. Each container comes individually boxed using high-density cardboard with high-recycled content to ensure safe and environmentally friendly transport.

To install your Euro™ Series containers:

1. Unbox each unit
2. Apply your chosen labels
3. (If applicable) Anchor bin to ground through pilot holes at the bottom of the unit.

CARE & MAINTENANCE

Advantages of Busch Systems® HDPE & LDPE receptacles include:

- Great low temperature impact resistance and excellent chemical resistance
- Great high temperature impact resistance
- Lower stiffness rating which reduces the potential for stress cracking
- High strength-to-density ratio

Their appearance and lifespan will be greatly affected by their care. The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems® products, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

Note: Always test soaps/cleaners on a hidden and/or small area beforehand

- Ajax Cream
- Liquid Gumption
- Flash (in water)
- Ajax Liquid (in water)
- Cutting compound ('T. Cut')

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

GENERAL CARE

- Clean with a power washer or light scrub brush (outdoor/municipal bins)
- Clean with a mild detergent with a damp sponge or cloth (indoor/office bins)
- For soil and stain remover, cleaners like Fantastik, Armor All or Acetone may be tried
- UV safe cleaners MUST be used on all outdoor bins

THINGS TO AVOID

- Cleaners with chloride or bleach
- Solvents
- Abrasive detergents
- Steel wool or Scouring pads

Contact Us Today for a Quote on Your Euro™ Series Container!



www.buschsystems.com • 1.800.565.9931 • 81 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5