



The **#1 Rated** Brand in Recycling & Waste Containers!

★ Trustpilot

Innovative Designs Inspiring Change.

ImpactTM Series

Make an Environmental Statement

Product Data Sheet | Version 1.4



Busch Systems International Inc. 81 Rawson Avenue, Barrie ON., Canada 1.800.565.9931 buschsystems.com



View the Impact™ Series Online!











MAKE AN ENVIRONMENTAL STATEMENT

This container is extremely impactful in both appearance and functionality. Its simplistic exterior compliments any space and allows the perfect opportunity for custom wrapping and labeling with promotional imagery. With a clean and compact design, this single-stream solution is ideal for moderate traffic areas and programs with easy servicing needs.

POPULAR BASE SKU'S





105146



BUILD YOUR MPACT ™STATION



ONE: THE BODY & LID

- White/Black
- Clear/Black

THREE: THE LABEL

 Choose from our stock options or customize your own!


RECEPTACLE SPECIFICATIONS

The measurement guide is the essence of various standard measuring methods. All measurements are in inches. The Impact™ Series receptacles are available in a single model configuration and are efficiently designed to cover minimal square footage.

LID OPENING DIMENSIONS

10"Diameter (254mm)





Body Shape	Height	Width	Depth	Weight	Capacity
White/Black	30.375"H (771.525mm)	15.75"W (400mm)	15.75"D (400mm)	23.45lbs (kg)	20 gal
Clear/Black	30.375"H (771.525mm)	15.75"W (400mm)	15.75"D (400mm)	7.2lbs (3.27kg)	20 gal

STOCK GRAPHICS

To clearly indicate streams, all signage is available in corresponding stream colors. Labels come standard with white or silver icons on a clear background. All signage and labels are able to be customized.

LABELS





IDEAL BAG SIZES

	20 Gallons
Ideal Bag Size (inches)	23 x 37

MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meets your demands for quality and durability and will enhance your working environment for years to come.

Component Material(s)		Construction		
Body - White	Powder Coated Steel	Fire-safe steel construction		
Body - Clear	PETG	Durable and resistant to scratches/abrasions		
Lid & Base	LDPE	The Lid and Base are molded from durable black LDPE		
Liners	LDPE	Liners are molded from durable black LDPE		

ENVIRONMENTAL CONSIDERATIONS

- All Impact[™] Series Receptacles use a low energy, resource efficient manufacturing and curing process
- All Impact™ Series receptacle components disassemble at end of life and are fully recyclable
- Low maintenance and extremely long service life
- Manufactured in North America

Configurations	Post-Industrial	Post-Consumer	Total Recycled	3rd Party
	Recycled Content	Recycled Content	Content	Certifications
Impact™	Contact us	Contact us	Contact us	-

Busch Systems® is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a B-Corporation®. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at sustainability@buschsystems.com.



LEAD TIME

Our standard lead times on the Impact™ Series is 3-5 days for stock units or 6-8 weeks for large and/or custom orders. Please contact us to discuss your specific timing requirements.

PRICING

Please contact us at 800.565.9931 or sales@buschsystems.com. At Busch Systems®, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

TO ORDER PLEASE SPECIFY

Quantity, body model, lid model, label choice and any optional product accessories. Talk to your dedicated Busch Systems® sales representative for more information. If you do not have a dedicated Sales Representative please contact us via our website at buschsystems.com/contact-us/

INSTALLATION

No installation required.

CARE & MAINTENANCE

Busch Systems® powder coated steel products are finished with a polyester powder coat paint that is intended to help keep your recycling and waste containers protected and attractive looking for as long as possible in their environment. Their appearance and lifespan will be greatly affected by their care. Powder coated finishes can be treated like most other paints and benefit from regular cleaning.

The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems® products, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

- Ajax Cream
- Ajax Liquid (in water)
- Liquid Gumption
- Cutting compound ('T. Cut')
- Flash (in water)

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

THINGS TO AVOID

- Solvents such as acetone, contact cleaners, thinners or Methyl Ethyl Ketone (MEK). These solvents are very damaging to the powder
 coat and will soften and/or dissolve the surface of the coating, diminishing its shine and durability or removing the finish altogether.
- Cleaning water that contains sulfur, iron oxide, chlorine, fluoride
- Waxes that contain abrasives
- Abrasive cleaning tools or brushes
- Contact with electrical current and dissimilar metals

Contact Us Today for a Quote on Your Impact $^{\scriptscriptstyle\mathsf{TM}}$ Series Container!















