

# Spectrum Series

Being Green Just Got More Colorful


Product Data Sheet | Version 1.0

Busch Systems InternationI Inc. 81 Rawson Avenue, Barrie ON., Canada 1.800.565.9931 buschsystems.com



View the Spectrum Series Online!

# BUSCH<sup>®</sup> SYSTEMS



# ENJOY THE POSSIBILITIES

The Busch Systems® R&D team has spent countless hours crafting the Spectrum<sup>™</sup> Series with the specific ability of adapting to collection programs of all types and sizes. In the ever-evolving world of recycling & waste collection, it's imperative to build the basis of your program with as much flexibility as possible.

Our team achieved this flexibility by designing five modular containers created at the most adaptable size & profile, then hit them with the loudest variety of color options we've ever made available!

When choosing the Spectrum<sup>™</sup> Series, you'll be confident knowing the highest quality, most-versatile set of containers will outfit your program and your space perfectly. Be confident knowing the combination of containers you've selected today, can easily be adjusted to suit your program of tomorrow.

# POPULAR SKU'S



104011





101218



101193

. 1-800-565-9931

31 🌐 buschsystems.com

1 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5







# **ONE:** THE BODY

- Cube
- Cube-Slim
- Cube XL
- Ellipse
- Ellipse-Slim
- Round



# TWO: THE OPENING

 See lid opening specifications for available openings



# THREE: THE LABEL

 Choose from our stock options or customize your own!

# FOUR: OPTIONAL KITS

- 15" x 8 ½" Sign Frame
- Slim Sign Frame
- Double Ellipse Sign Frame
- Wheel Casters



# DOUBLE STATION INSPIRATION





CUBE SLIM + CUBE SLIM











TRIPLE STATION INSPIRATION





QUAD STATION INSPIRATION



. 1-800-565-9931

buschsystems.com

1 81 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5

Version 1.0 | April 15, 2020

## **BODY SPECIFICATIONS**

Below are the available Body Options for the Spectrum<sup>™</sup> Series. With this measurement guide you will find the right size Spectrum<sup>™</sup> Series container to fit your space. The measurement guide is the essence of various standard measuring methods. All measurements are in inches. Talk to your dedicated Busch Systems® sales representative for more information on how to choose the right size container for your space.









Ellipse





Cube


Cube-Slim

Cube XL

W

Ellipse-Slim

Round



D

#### **BODIES**

Body Shape	Height	Width	Depth	Weight	Capacity
Cube	30.375″H (771.525mm)	15.75″W (400mm)	15.75″D (400mm)	31.8lbs (14.42kg)	24 gal
Cube-Slim	30.375"H (771.525mm)	8″W (203.2mm)	15.75″D (400mm)	22.15lbs (10.05kg)	10 gal
Cube XL	30.375"H (771.525mm)	21.5″W (546.1mm)	15.75"D (400mm)	38.75lbs (17.58kg)	32 gal
Ellipse	30.375"H (771.525mm)	15.75″W (400mm)	15.75"D (400mm)	27.45lbs (12.45kg)	22 gal
Ellipse-Slim	30.375"H (771.525mm)	8″W (203.2mm)	15.75"D (400mm)	18.2lbs (8.26kg)	8 gal
Round	30.375″H (771.525mm)	15.75″D (400mm)	15.75″D (400mm)	20.57lbs (9.33kg)	20 gal

## **STOCK BODY COLORS**









Green

\*Round only stocked in Black

1-800-565-9931

buschsystems.com

# LID OPENING SPECIFICATIONS

The chart below outlines the available Lid Opening Options for each Spectrum<sup>™</sup> Series body as well as the associated opening dimensions. Be sure to run a preliminary audit of the popular materials that are discarded where your Spectrum<sup>™</sup> Series containers will be placed. For example, if you're collecting large quantities of standard-sized Cans & Bottles, the Circle Opening is the ideal choice, as it will reduce contamination of materials that are larger than the dimensions of the opening. If there is a blank cell on the body or lid style of your choice, this means there is currently no stock option available. Talk to your dedicated Busch Systems<sup>®</sup> sales representative for more information.

	Full	Mixed	Slot	Circle	Lift	Full + Ashtray
Cube		8		0		
Opening Dimensions	10.25″W x 6.25″D	10.815″W x 5.250″D	10.815″W x 2.625″D	5.875″W x 5.875″D	9.250″W x 8.250″D	
Cube-Slim						
Opening Dimensions	5.875″W x 10.25″D	5.250″W x 10.815″D	2.625″W x 10.815″D			
Cube XL						
Opening Dimensions	12.250″W x 8.250″D					6.250″W x 10.250″D
Ellipse		0		0		
Opening Dimensions	10.25″W x 6.250″D	10.815″W x 5.250″D	10.815″W x 2.625″D	5.875″W x 5.875″D		
Ellipse-Slim	D			0		
Opening Dimensions	6″W x 13.750″D			5.875″W x 5.875″D		
Round	$\bigcirc$					
Opening Dimensions	10"W x 10"D					

## STOCK LID COLORS



[] ].

1-800-565-9931 🌐 buschsystems.com




## PRODUCT ACCESSORIES

If you're interested in maximizing the full potential of your Spectrum<sup>™</sup> Series containers, you can enhance the quality & performance and expand the possibilities with top quality accessories that will add functionality and convenience with ease. These product accessories are designed to help you get the most out of your recycling & waste management equipment. Busch Systems<sup>®</sup> offers a number of different accessories to add convenience and portability.

To add movement to your Spectrum<sup>™</sup> Series station, consider the Busch Systems<sup>®</sup> professional quality caster kits that allow you to easily move your station to a better location or for cleaning and maintenance.


For more customization, many of the Spectrum<sup>™</sup> Series bodies are compatible with a vast choice of customizable sign frame and signage options that increase stream visibility.



## STOCK GRAPHICS

To clearly indicate streams, all signage is available in corresponding stream colors. Labels come standard with white or silver icons on a clear background. All signage and labels are able to be customized.

#### SIGNAGE - FULL AND DOUBLE ELLIPSE FRAME



NOTE: Because different computers, monitors, and printers render colors and textures differently, actual finishes may vary from those shown here.

1-800-565-9931

buschsystems.com

Version 1.0 | April 15, 2020

# MATERIAL & CONSTRUCTION DETAILS

Not all recycling & waste receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our recycling & waste containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling & waste containers that meets your demands for quality and durability and will enhance your working environment for years to come.

Component	Material(s)	Construction
Bodies	Powder Coated Steel	Fire-safe steel construction
Lids	Powder Coated Steel	<ul> <li>Platinum powder coat finish on easy to remove lids</li> </ul>
Liners - Ellipse & Ellipse Slim	LDPE	• Liners are molded from durable black LDPE with UL94HB fire rating
Liners - Cube & Cube Slim	HDPE	• Liners are made of durable black HDPE and 100% Post Consumer Recycled content
Liners - Cube XL	HDPE	• Liners are made of durable black HDPE and contain up to 35% recycled content
Sign Frames	Powder Coated Steel	Fire-safe steel construction
Signage	100lb. Digital Cover Coated Paper	• 30% PCW FSC®
Casters	LDPE	• 4 durable, long-lasting swivel castors are included with every container (2 of 4 casters include brakes to secure container into place)

## ENVIRONMENTAL CONSIDERATIONS

- Spectrum<sup>™</sup> Series Receptacles are composed primarily of natural materials local to manufacturing
- All Spectrum™ Series Receptacles use a low energy, resource efficient manufacturing and curing process
- All Spectrum<sup>™</sup> Series receptacle components disassemble at end of life and are fully recyclable

buschsystems.com

- Low maintenance and extremely long service life
- Powdercoat finishes are no- or low-VOC, depending on color
- Manufactured in North America

Configurations	Post-Industrial	Post-Consumer	Total Recycled	3rd Party
	Recycled Content	Recycled Content	Content	Certifications
Spectrum™	Contact us	Contact us	Contact us	-

Busch Systems<sup>®</sup> is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a B-Corporation<sup>®</sup>. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at **sustainability@buschsystems.com**.

1-800-565-9931

Product Data Sheet

Version 1.0 | April 15, 2020

81 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5



## LEAD TIME

Our standard lead times on stock SKU's for the Spectrum<sup>™</sup> Series are 3-5 days. Our standard lead times on the large/custom orders for the Spectrum<sup>™</sup> Series are 6-8 weeks. Please contact us to discuss your specific timing requirements.

#### PRICING

Please contact us at **800.565.9931** or **sales@buschsystems.com**. At Busch Systems<sup>®</sup>, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.

#### TO ORDER PLEASE SPECIFY

Quantity, body model, lid model, label choice and any optional product accessories. Talk to your dedicated Busch Systems® sales representative for more information. If you do not have a dedicated Sales Representative please contact us via our website at **buschsystems.com/contact-us/** 

#### INSTALLATION

Busch Systems<sup>®</sup> Spectrum<sup>™</sup> Series containers are hassle-free when it comes to installation. Each container is individually boxed using cardboard with high-recycled content and each associated lid is boxed within the container box to ensure safe transport.

#### TO INSTALL YOUR SPECTRUM<sup>™</sup> SERIES CONTAINERS:

- 1. Unbox the body and lid components
- 2. Adjust levelling feet to desired height
- 3. Insert the recycling/waste bag into the liner and wrap the top edge of the bag around the liner
- 4. Place the lid on top of the body

#### CARE & MAINTENANCE

Busch Systems<sup>®</sup> powder coated steel products are finished with a polyester powder coat paint that is intended to help keep your recycling and waste containers protected and attractive looking for as long as possible in their environment. Their appearance and lifespan will be greatly affected by their care. Powder coated finishes can be treated like most other paints and benefit from regular cleaning.

The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems<sup>®</sup> products, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Rinse well with clean water. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

- Ajax Cream
   Ajax
- Ajax Liquid (in water)
- Liquid Gumption
- Cutting compound ('T. Cut')
- Flash (in water)

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

#### THINGS TO AVOID

- Solvents such as acetone, contact cleaners, thinners or Methyl Ethyl Ketone (MEK). These solvents are very damaging to the powder coat and will soften and/or dissolve the surface of the coating, diminishing its shine and durability or removing the finish altogether.
- Cleaning water that contains sulfur, iron oxide, chlorine, fluoride
- Waxes that contain abrasives
- Abrasive cleaning tools or brushes
- Contact with electrical current and dissimilar metals

1-800-565-9931 🌐 buschsystems.com 🏠 81 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5





