

Innovative Designs Inspiring Change.

The **#1 Rated** Brand in Recycling & Waste Containers!

★ Trustpilot

# Sentry<sup>™</sup> Series

Your Dependable Outdoor Bin Solution

Product Data Sheet | Version 1.4





Busch Systems International Inc. 81 Rawson Avenue, Barrie ON., Canada 1.800.565.9931 buschsystems.com



View the Sentry<sup>™</sup> Series Online!





# **Your Dependable Outdoor Bin Solution**

Sometimes you just need a recycling & waste container that's cost effective and works like a charm. The Sentry<sup>™</sup> is the ideal economical collection bin. Durable for the outdoors and practical for large indoor spaces, It's design is high capacity, built to last and easy to maintain.

POPULAR SKU'S



www.buschsystems.com • 1.800.565.9931 • 81 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5




# BODY SPECIFICATIONS

Below are the available station options for the Sentry<sup>™</sup> Series. With this measurement guide you will ensure the Sentry<sup>™</sup> Series container is the right size to fit your space. The measurement guide is the essence of various standard measuring methods. The Sentry<sup>™</sup> Series recycled plastic lumber containers are available in a Single configuration. Talk to your dedicated Busch Systems<sup>®</sup> sales representative for more information on how to choose the right size container for your space.

# LID OPENING DIMENSIONS

15.375"W (bottom) 12.5"W (top) x 7.875"H (390.53mm (bottom) 317.5mm (top) x 200.03mm)





Body Shape	Height	Width	Depth	Weight	Capacity
Standard	41.25"H (1047.75mm)	23.5″W (596.9mm)	23.5″D (596.9mm)	28lbs (12.70kg)	45 gal

## STOCK COLORS



# AVAILABLE COLORS





#### IDEAL BAG SIZE

Sentry™ Series	45 Gallons
Ideal Bag Size (inches)	48 x 41

# MATERIAL & CONSTRUCTION DETAILS

Not all recycling, waste or PPE receptacles are created equal. Our company policy is never to compromise on our workmanship or the quality material standards we've set. We only recommend and use quality first grade materials on our containers, and source these from OEM's at highly-competitive prices. Being a manufacturer that buys at high-quantities gives significant buying power with companies which in turn saves you money.

The design process, materials used, finishes and manufacturing standards all affect the final product. Every decision is vital to getting the most value for your investment. You deserve recycling, waste and PPE containers that meet your demands for quality and durability and will enhance your working environment for years to come.

Component	Material(s)	Construction	
Body	LDPE	Bodies are molded from durable LDPE	

## ENVIRONMENTAL CONSIDERATIONS

- All Sentry™ Receptacles use a low energy, resource efficient manufacturing and curing process
- All Sentry<sup>™</sup> receptacle components disassemble at end of life and are fully recyclable
- Low maintenance and extremely long service life
- Manufactured in North America

Configurations	Post-Industrial	Post-Consumer	Total Recycled	3rd Party
	Recycled Content	Recycled Content	Content	Certifications
Sentry™	Contact us	Contact us	Contact us	-

Busch Systems<sup>®</sup> is dedicated to environmental responsibility. We maintain an Environmental Management System and are continually working to improve our impact through efficiency, material selection, vendor education, employee involvement, and an unwavering commitment to being a B-Corporation<sup>®</sup>. If you would like additional information on our product development process or if you don't see the information you need for your project on this page, please contact our Sustainability Team at sustainability@buschsystems.com.

#### LEAD TIME

Our standard lead times on the Sentry<sup>™</sup> Series are 4-6 weeks. Larger orders may require 6-8 weeks to complete. Please contact us to discuss your specific timing requirements.

#### PRICING AND ORDERING

Please contact us at **800.565.9931** or **sales@buschsystems.com**. At Busch Systems<sup>®</sup>, we design, manufacture and sell our products directly to you. Our sales team is available to assist you with questions about our products, requests for quotes, and orders. Vertical Managers are located across North America to assist with the front-end specification and quoting process, and our in-house Project Sales Coordinators follow your project through from the time you place an order to shipment.



# TO ORDER PLEASE SPECIFY

Quantity and component colors. Talk to your dedicated Busch Systems<sup>®</sup> sales representative for more information. If you do not have a dedicated Sales Representative please contact us via our website at **buschsystems.com/contact-us/** 

#### INSTALLATION

Busch Systems<sup>®</sup> Sentry<sup>™</sup> Series containers are hassle-free when it comes to installation. Each container comes fully-assembled and individually boxed using high-density cardboard with high-recycled content to ensure safe and environmentally friendly transport.

To install your Sentry<sup>™</sup> Series containers:

- 1. Remove unit from pallet and place in desired location
- 2. (If applicable) Anchor bin to ground through pilot holes at the bottom of the unit.

#### CARE & MAINTENANCE

Advantages of Busch Systems® LDPE receptacles include:

- Great low temperature impact resistance and excellent chemical resistance
- Great high temperature impact resistance
- Lower stiffness rating which reduces the potential for stress cracking
- High strength-to-density ratio

Their appearance and lifespan will be greatly affected by their care. The frequency of cleaning required depends on the environment in which the containers are used. Outdoor containers will be subject to different environmental conditions than indoor units, i.e. sun, rain, wind, pollution, winter temperatures, and salt/sea air.

To avoid the accumulation of dirt and grime on your Busch Systems<sup>®</sup> products, and help prevent corrosion, we recommend that a mild detergent be used (not an abrasive), such as a pH-neutral liquid (hand dishwashing or hand car washing soaps, for example) diluted in warm water. Wipe with a clean wet cloth and towel dry. Any dirt adhering to the powder coating should be removed. In order to remove deposits such as salt or dust, use a soft brush (non-abrasive). If this is not sufficient to remove stubborn soiling, the following products have been tested for use:

- Ajax Cream
- Liquid Gumption
- Flash (in water)
- Ajax Liquid (in water)
- Cutting compound ('T. Cut')

Note: Always test soaps/cleaners on a hidden and/or small area beforehand

If solvents are absolutely needed to remove marks, a soft cloth dampened with white spirit may be used.

#### GENERAL CARE

- Clean with a power washer or light scrub brush (outdoor/municipal bins)
- Clean with a mild detergent and damp sponge or cloth (indoor bins)
- For soil and stain remover, cleaners like Fantastik, Armor All or Acetone can be tried
- UV safe cleaners MUST be used on all outdoor bins

#### THINGS TO AVOID

- Cleaners with chloride or bleach
- Strong Solvents
- Abrasive detergents
- Steel wool or Scouring pads

Contact Us Today for a Quote on Your Sentry<sup>™</sup> Series Container!







www.buschsystems.com • 1.800.565.9931 • 81 Rawson Avenue, Barrie, Ontario, Canada L4N 6E5